

High Security Pocket Door


Specifications and Sizing

General Information

A pocket door is a sleek, space-saving solution that adds both elegance and functionality to any room.

Unlike traditional swinging doors, pocket doors slide effortlessly into a concealed compartment within the wall, offering a clean and unobtrusive look.

For those seeking an added layer of security, we also offer a ballistic model, designed to provide superior protection without compromising on style or function. This advanced option ensures peace of mind while maintaining the elegance and space-saving benefits of a traditional pocket door.



Bullet Proofing Options

- No Ballistic Rating
- UL 3 Equivalent - (Most Handguns)
- UL 8 Equivalent- (Assault Rifles)

Features

- Two year warranty on parts and materials. Longest in the industry.
- Pre-hung and tested. No wiring or assembly required.
- No complicated joinery to fit your panels. We've done all the engineering for you.
- Thresholdless design.
- Unlimited phone and video support. Expert advice and support before, during, and after installation.

Additional Customization

If you require additional customization beyond what is available on our website, please contact us for availability and a no-obligation price quote.

Phone: 480-926-1742

Email: contact@hiddendoorstore.com

High Security Pocket Door

Specifications and Sizing

Wall Condition Requirements

The door must be installed in a wall opening that is plumb and level. The floor must be a hard surface, flat to within $\frac{1}{8}$ "

Key Dimensions

Use the charts below to determine the key dimensions of your door based on your chosen wall opening Width and Height

Standard: 32" x 80" Clear Open



(80 $\frac{1}{8}$ " x 86 $\frac{7}{8}$ " Rough Opening)

Clear Opening Dimensions

Clear Width (pass through width)	24" - 38"
Clear Height (pass through height)	80" - 96"

Rough Opening Dimensions (RO)


RO Width	(2 x Clear Width) + 16 $\frac{1}{8}$ "
RO Height	Clear Height + 6 $\frac{7}{8}$ "



*For larger Sizes please contact the
Hidden Door Store*

High Security Pocket Door

Specifications and Sizing



Cladded Paneling

The Pocket door is designed to accept virtually any style of cladding so long as it does not exceed 1/2" in thickness. Drywall and Cladded Paneling applied using construction adhesive.

Available Options:

- None (Standard)
- Maple
- Alder
- Additional Options Contact the Hidden Door Store

Access Control Options

- Remote Control
- Wireless Keypad
- Finger Print Sensor

Electronics

Egress button is provided along with a single gang box mounted near the doorway. Control box to be located within 20 feet of the door and powered by a standard 110VAC outlet.